

SPEC SHEET + MEASUREMENTS

PORT&CO.

Port & Co[™] Long Sleeve Essential Tee. PC61LS

Product photo



Nothing beats this traditional t-shirt in comfort, versatility and casual style.

- 6.1-ounce, 100% soft spun cotton
- 98/2 cotton/poly (Ash)
- 90/10 cotton/poly (Athletic Heather)
- Rib knit collar
- Shoulder to shoulder back neck tape
- Natural: Minimally processed to keep the natural color found in undyed cotton.
- Tear-away label

Please note: This product is transitioning from white to black tear-away labels. Your order may contain a combination of both colored labels.

CARE INSTRUCTIONS

Machine wash cold, inside out with like colors. Only non-chlorine bleach when needed. Tumble dry medium. Do not iron.

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT&CO.

Port & Co[™] Long Sleeve Essential Tee. PC61LS

PRODUCT MEASUREMENTS

	S	M	L	XL	2XL	3XL	4XL
Chest	18	20	22	24	26	28	30
Sleeve Length from Center Back	34	35	36	37	38	38 1/2	39
Body Length at Back	28	29	30	31	32	33	34

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

Body Length at Back: Measured from high point shoulder to finished hem at back.

SIZE CHARTS

	S	M	L	XL	2XL	3XL	4XL
Chest	35-37	38-40	41-43	44-46	47-49	50-53	54-57

SPEC SHEET + MEASUREMENTS

PORT&CO.

Port & Co[™] Long Sleeve Essential Tee. PC61LS

HOW TO MEASURE



CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS

1							
	Aquatic Blue PMS 2389C	Ash	Athletic Heather	Athletic Maroon PMS 209C	Cardinal PMS 7638C	Charcoal PMS COOL GRAY 11C	Dark Chocolate Brown PMS 412C
							
	Dark Green PMS 560C	Deep Navy PMS 532C	Gold PMS 137C	Jet Black PMS BLACK C	Kelly PMS 340C	Light Blue PMS 278C	Lime PMS 367C
							
	Navy PMS 2380C	Orange PMS 172C	Purple PMS 7672C	Red PMS 200C	Royal PMS 2133C	Sand PMS 2312C	Sangria PMS 2046C
							
	Stonewashed Green PMS 7538C	White	Yellow PMS 127C				Stonewashed Blue PMS 2157C